

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Expansion of Synthetic Organic Chemicals Manufacturing Unit at Sy. No. 9-24, Wasarang 34-36, Chinchwali, Khopoli, Dist. Raigad (Maharashtra) by M/s Innovassynth Technologies (I) Limited.		
Name of Entity / Corporate Office	RAGHUVVEER ARAYAPU		
Village(s)	Chincholi Shekin		
District	RAIGAD		
Proposal No.	IA/MH/IND2/71477/2017	Category	Industrial Projects - 2
Plot / Survey / Khasra No.		Sub-District	Khalapur
State	MAHARASHTRA	Entity's PAN	*****8899L
MoEF File No.	IA/MH/IND2/71477/2017	Entity name as per PAN	INNOVASSYNTH TECHNOLOGIES (INDIA) LIMITED

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	Submitting six monthly EC compliance report for the April 2024 to September 2024
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office RAGHUVVEER ARAYAPU

	Project Area as per EC Granted	Actual Project Area in Possession
Private	24.48	24.48
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	24.48	24.48

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	As per Atatched list	Tons per Annum (TPA)	31/08/2026	4200 TPA	268.319 TPA	1279.510 TPA

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
PPs Submission: Complied We have done arrangement for protection of possible fire hazards during manufacturing process in material handling. The fire extinguishers are available. Fire Hydrant system is also provided. The Firefighting system details are enclosed as an Annexure-6.		Date: 19/11/2024
2	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
PPs Submission: Complied Occupational health surveillance is being carried out regularly on yearly basis and records are being maintained in the Form-VII. The form VII for the period 19/6/2023 onwards is enclosed as Annexure-10.		Date: 19/11/2024
3	Human Health Environment	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
PPs Submission: Complied Raw materials are being stored in Tank Farm.		Date: 19/11/2024
4	ENERGY PRESERVATION MEASURES	The energy sources for lighting purpose shall preferably be LED based. A minimum of 10-20% of the total power requirement for the industrial operations shall be met from non-conventional energy resources/solar/supply.
PPs Submission: Complied The statement of the LEDs installed and Energy savings is given below: Sr. No. Existing Operation /Practice Implemented Practice 1. Conventional lights used for streetlights Replaced 150W MHL fittings with 75W street light fitting 3240 Units saved. 2. 30KW cooling water pump running continuously. Optimization done, Available Standby Pump P-1201G (15KW) of low head taken in operation and thus saved power. 17010 Units saved. 3. Two 100 Hp motors running for air compressor. Optimised running of additional air compressor of 100 HP and started utilization of 50 HP compressor. 51840 Units saved. Total 72190 units of electricity saved till date.		Date: 19/11/2024
5	Statutory compliance	Continuous online (24x7) monitoring system for stack emission shall be installed for measurement of fuel gas discharge and the pollutants concentration and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
PPs Submission: Complied The online monitoring of the stacks is being carried out for the measurement of the flue gas discharge and the pollutants concentrations. The online CEMS has been connected to the CPCB and MCPB server. The online continuous effluent monitoring of the effluent is being carried out and the unit has installed web camera with night vision capability and flow meters in the channel / drain carrying effluent within the premises. The online effluent monitoring system has been connected to the CPCB and MPCB server. The MPCB login portal along with other details is enclosed as Annexure-7.		Date: 19/11/2024

6	Statutory compliance	Consent to Establishment/Operate for the Project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act 1981 and the Water (Prevention and Control of Pollution) Act 1974.
<p>PPs Submission: Complied We have obtained Renewal of Consent to Operate vide document no. Format1.0/CC/UAN No. MPCBCONSENT-0000176423/CR/2312001016 dated 08/12/2023 which is valid up to 31/08/2026 is enclosed as Annexure-1</p>		Date: 19/11/2024
7	WATER QUALITY MONITORING AND PRESERVATION	As already committed by the project proponent, Zero Liquid Discharge shall be ensured, and no waste/treated water shall be discharged outside the premises.
<p>PPs Submission: Complied The treatment scheme for ZLD is described as under: Effluent generating from process is segregated in two streams high TDS and low TDS stream. High TDS stream from process along with RO reject is treated in MEE. Condensate from MEE along with low TDS stream from process is being fed to the primary treatment. Primary treated effluent is fed to secondary treatment followed by tertiary treatment. Tertiary treated effluent is fed to RO. RO permeate is recycled in utilities and RO reject is fed to MEE to achieve zero liquid discharge. Thus the unit is completely ZLD. No waste / treated water is being discharged outside the factory premises. The ZLD flow Chart and ETP photographs have been already submitted as an Annexure in previous six monthly EC Compliance period October 2023 to March 2024.</p>		Date: 19/11/2024
8	WASTE MANAGEMENT	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
<p>PPs Submission: Complied We have the valid membership for Hazardous and Other Wastes with Mumbai Waste Management Limited with the Certificate no. MWML -HzW - KHP-320 valid till 31st March 2025 is enclosed as Annexure-2.</p>		Date: 19/11/2024
9	Statutory compliance	National Emission Standard for Organic Chemicals Manufacturing Industries issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
<p>PPs Submission: Complied We are monitoring the parameters applicable to us as per the valid issued CTO. The following applicable effluent parameters are mentioned in the GSR. 608 (E) are being monitored: pH, BOD, Oil and Grease, Phenol and Cyanide. The emission norms for the incinerator are not applicable to us as we do not have any onsite incinerator. The monitoring reports of ETP and STP outlet are enclosed as Annexure-3.</p>		Date: 19/11/2024
10	AIR QUALITY MONITORING AND PRESERVATION	To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed norms and / or the NAAQS. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines
<p>PPs Submission: Complied Various scrubbers have been provided to the process vents to counter the fugitive emissions. The details of the stacks along with the stack heights are tabulated as under: No Stack Attached To APC System Stack Height (M) 1. Process Vent (MPP) Scrubber with Caustic solution 7 2. Process Vent (MPP) Scrubber with Caustic solution 7 3. Process Vent (PP1) Scrubber with Caustic solution 10 4. Process Vent (PP2) Scrubber with Caustic solution 7 5. Process Vent (PP3/4/5) Scrubber with Caustic solution 13 6. Process Vent (PP3/4/5) Scrubber with Caustic solution 13 7. Process Vent (PP3/4/5) Scrubber with Caustic solution 13 8. Process Vent (PP6) Scrubber with Caustic solution 7 9. Process Vent (ETP) Scrubber with Caustic solution 13</p>		Date: 19/11/2024

11	Risk Mitigation and Disaster Management	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) The condensers shall be provided with sufficient HTI and residence time so as to achieve more than 98% recovery. (d) Solvents shall be stored in a separate space specified with all safety measures. (e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breath valve to prevent losses. (g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
<p>PPs Submission: Complied</p> <p>a) Reactors are connected to chilled brine condenser system. b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. c) The condensers shall be provided with sufficient HTI and residence time so as to achieve more than 98 percent recovery. d) Solvents are stored in designated areas with all safety measures. e) Proper earthing is provided to the equipments handling solvents. f) The entire plant is provided with flameproof machinery. The solvent storage tanks are provided with breather valves. g) Vent condenser provided to the storage tanks.</p>		Date: 19/11/2024
12	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water requirement shall not exceed 1042 cum/day to be met from Patalganga river, prior permission in this regard shall be obtained from the concerned regulatory authority /CGWA.
<p>PPs Submission: Complied</p> <p>As per the guidelines, site is consuming water within the stipulated quantity i.e. 1042 cum/day. The Consumption for April to September 2024 is as below: Month consumption per month m3 April 2024 9610 May 2024 11160 June 2024 11850 July 2024 16440 August 2024 17820 September 2024 14625 The water consumption required for our project is well within limits.</p>		Date: 19/11/2024
13	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any wastewater shall not be allowed to mix with storm water, Storm water drain shall be passed though guard pond.
<p>PPs Submission: Complied</p> <p>The process effluent / any wastewater is not mixing with storm water as separate drains / channels have been provided for the process effluent and the storm water.</p>		Date: 19/11/2024
14	Risk Mitigation and Disaster Management	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer through pumps.
<p>PPs Submission: Complied</p> <p>All hazardous chemicals are stored in tanks, tank farms, drums, carboys etc. Photographs of the same have been already submitted as an Annexure in previous six monthly EC Compliance period October 2023 to March 2024. Flame arresters are already provided on tank farm, and solvents are transferred through pumps.</p>		Date: 19/11/2024
15	WASTE MANAGEMENT	Process organic residue and spent carbon, if any shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
<p>PPs Submission: Complied</p> <p>We have the valid membership for Hazardous and Other Wastes with Mumbai Waste Management Limited with the Certificate no. MWML -HzW - KHP-320 valid till 31st March 2025 is enclosed as Annexure-2.</p>		Date: 19/11/2024
16	WASTE MANAGEMENT	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of

		Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
<p>PPs Submission: Complied</p> <p>The Company is strictly complying with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals are as per the Motor Vehicle Act (MVA), 1989.</p>		<p>Date: 19/11/2024</p>
17	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below: (a) Metering and control of quantities of active ingredients to minimize waste. (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other process. (c) Use of automated filling to minimize spillage (d) Use of close Feed system into batch reactors. (e) Venting equipment through vapour recovery system (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
<p>PPs Submission: Complied</p> <p>a) All raw materials are metered and controlled for its quantities to minimize waste. b) Recovered Solvents are reused in processes. c) Pumps are used to transfer liquids in closed pipelines. d) Closed hoppers are provided for solid material charging in reactors. e) Vent Condensers are provided as secondary condensers for vapour recovery. f) High Pressure Hoses are used wherever require as per the need</p>		<p>Date: 19/11/2024</p>
18	GREENBELT	The green belt of at least 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in download wind direction and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
<p>PPs Submission: Complied</p> <p>Site is having greenbelt area of 80808 m² (33 percent of total plot area). Total 15000 trees are planted surrounding production plants. The plant species have been selected as per the CPCB guidelines in consultation with the State Forest Department. The existing green belt photographs of the same have been already submitted as an Annexure in previous six monthly EC Compliance period October 2023 to March 2024.</p>		<p>Date: 19/11/2024</p>
19	Statutory compliance	All the commitments regarding issues raised during the public hearing / consultation meeting held on 2nd December 2017 shall be satisfactorily implemented.
<p>PPs Submission: Complied</p> <p>The public hearing compliance matrix have been already submitted as an Annexure in previous six monthly EC Compliance period October 2023 to March 2024.</p>		<p>Date: 19/11/2024</p>
20	Corporate Environmental Responsibility	At least 2.5% of the total project cost shall be allocated for Enterprise Social Commitment based on public hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
<p>PPs Submission: Complied</p> <p>The Company has spent Rs.59.12 Lakhs for ESR activity as against amount of Rs. 132.03 Lakhs which the company is liable to spend based on its capital investment as on 30th March 2024 (which is 2.5 percent of invested amount). Company has initiated the measures to spend the balance amount of Rs. 72.90 Lakhs. The status of ESR activities completed are enclosed as an Annexure- 4.</p>		<p>Date: 19/11/2024</p>
21	Noise Monitoring & Prevention	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.

<p>PPs Submission: Complied</p> <p>The DG sets are provided with adequate stack height as per CPCB norms and acoustic enclosure. Stack height of 6.3 m has been provided for the D.G set of 1000 KVA. Stack height of 30 m has been provided for the D.G set of 1010 KVA. Photograph of the acoustic enclosure enclosed as an Annexure-5.</p>	<p>Date: 19/11/2024</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------

General Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be sent at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issues of the clearance letter, at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular languages of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
<p>PPs Submission: Complied</p> <p>The advertisement of the obtained Environmental clearance was published in the news papers, Loksatta (Marathi) dated 27th April 2018 and Indian Express (English) dated 27th April 2018. The aforesaid advertisements enclosed as an Annexure-13.</p>		<p>Date: 19/11/2024</p>
2	Statutory compliance	The project authorities shall inform the Regional Office as well as the ministry the data of financial closer and final approval of the project by the concerned authorities and the date of start of the project.
<p>PPs Submission: Complied</p> <p>We have already taken CTE and CTO from Maharashtra Pollution Control Board (MPCB). We have already informed to the ministry and Regional Office of MOEF and CC about the project start in the in vide letter dated 04/09/2018.</p>		<p>Date: 19/11/2024</p>
3	Statutory compliance	The Ministry may revoke or suspend the clearance ,at subsequent stages ,if implementation of any of the above conditions is not satisfactory.
<p>PPs Submission: Agreed to Comply</p> <p>Noted and agreed.</p>		<p>Date: 19/11/2024</p>
4	Statutory compliance	The Ministry reserves the right to stipulate the additional in a conditions, if found necessary. The company in a time bound manner will implement these conditions.
<p>PPs Submission: Agreed to Comply</p> <p>Noted and agreed.</p>		<p>Date: 19/11/2024</p>
5	Statutory compliance	The above conditions will be enforced inter alia under the provisions of the Water (Prevention and Control of Pollution), Act 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management) and Transboundary Movement) Rules, 2016 and Public Liability Insurance Act, 1991 along with their amendments and rules.

<p>PPs Submission: Complied The latest valid PLI copies are enclosed as Annexure-14.</p>		<p>Date: 19/11/2024</p>
6	Statutory compliance	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board, Central Pollution Control Board, State Government and any other statutory authority.
<p>PPs Submission: Complied Annual returns in Form-4 as required are being submitted to MPCB regularly. The Form-4 for the year 2023-2024 submitted online to MPCB on 12/06/2024. The Form-4 is enclosed as Annexure-8. The Environmental Statement i.e, Form-V is also being regularly submitted online to MPCB. The Form-V for the year 2023-2024 was submitted online to MPCB on 02/09/2024. The Form-V is enclosed as Annexure-9. We have also obtained necessary statutory permission such as CTE and the CTO from MPCB and we are scrupulously adhering to the stipulations, terms and conditions mentioned therein.</p>		<p>Date: 19/11/2024</p>
7	Statutory compliance	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate change. In case of deviation or alterations in the project proposals from those submitted to this Ministry for clearance a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required if any.
<p>PPs Submission: Agreed to Comply Agreed and noted for compliance</p>		<p>Date: 19/11/2024</p>
8	AIR QUALITY MONITORING AND PRESERVATION	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
<p>PPs Submission: Complied The ambient air quality monitoring was carried out at four locations in September 2024 inside factory premises. The results are presented as below: The PM10 varied from 40.37micro gram per m3 (Near ETP) to 50.39micro gram per m3 (Near MPP Plant) The PM2.5 varied from 20.28micro gram per m3 (Near ETP) to 30.83 micro gram per m3 (Near OHC Colony). The NOx varied from 18.63 micro gram per m3(Near OHC Colony) to 22.10 micro gram per m3 (Near MPP Plant). The SO2 varied from 10.28 micro gram per m3) (Near OHC Colony) to 10.83 micro gram per m3 (Near MPP Plant). The results depict that the all the parameters are within the respective stipulated limits as per NAAQS 2009. The AAQM reports are enclosed as Annexure-3.</p>		<p>Date: 19/11/2024</p>
9	AIR QUALITY MONITORING AND PRESERVATION	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R No. 826(E) dated 16th November, 2009 shall be followed.
<p>PPs Submission: Complied The ambient air quality monitoring was carried out at four locations in September 2024 inside factory premises. The results are presented as below: The PM10 varied from 40.37 micro gram per m3 (Near ETP) to 50.39 micro gram per m3 (Near MPP Plant) The PM2.5 varied from 20.28 micro gram per m3 (Near ETP) to 30.83 micro gram per m3 (Near OHC Colony). The NOx varied from 18.63 micro gram per m3(Near OHC Colony) to 22.10 micro gram per m3 (Near MPP Plant). The SO2 varied from 10.28 micro gram per m3) (Near OHC Colony) to 10.83 micro gram per m3 (Near MPP Plant). The results depict that the all the parameters are within the respective stipulated limits as per NAAQS 2009. The AAQM reports are enclosed as Annexure-3.</p>		<p>Date: 19/11/2024</p>
10	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures

		including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dB(A) (day time) and 70 dB(A) (night time)
<p>PPs Submission: Complied</p> <p>The ambient noise levels are being monitored regularly. The ambient noise was monitored at 8 locations. A snapshot of the Leq day and Leq night is presented below: The Leq day varied from 57.5dB(A) (Near Main gate) to 73.9 dB(A) (Near Boiler). The Leq night varied from 53.2 dB(A) (Near Main Gate) to 65.8 dB(A) (near Boiler) The ambient noise levels are within the respective limits of daytime: 75 dB(A) and the night time: 70 dB(A) for the industrial area as per CPCB. The noise reports are enclosed as Annexure-3</p>		<p>Date: 19/11/2024</p>
11	WATER QUALITY MONITORING AND PRESERVATION	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
<p>PPs Submission: Complied</p> <p>Rainwater harvesting is in place. A rainwater harvesting structure of the dimensions 2.5 m x 1.5 m x 2.0 m i.e., 7.5 m³ has been constructed for storing rainwater. The details of rain water harvesting have been already submitted as an Annexure in previous six monthly EC Compliance period October 2023 to March 2024.</p>		<p>Date: 19/11/2024</p>
12	Human Health Environment	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre –employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
<p>PPs Submission: Complied</p> <p>Training is being imparted to all employees on safety and health aspects of chemicals handling. The Trainings conducted on various safety aspects are enclosed as an Annexure-10. Pre employment and routine periodical medical examinations for all employees are being undertaken on regular basis. The record of Health register being maintained as Form VII. The Form VII is enclosed as Annexure-11.</p>		<p>Date: 19/11/2024</p>
13	Human Health Environment	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environment management, and risk mitigation measures relating to the project shall be implemented.
<p>PPs Submission: Complied</p> <p>We are scrupulously complying with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environment management, and risk mitigation measures relating to the project are being implemented.</p>		<p>Date: 19/11/2024</p>
14	Corporate Environmental Responsibility	The Company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration.
<p>PPs Submission: Complied</p> <p>We have already started ESC activities in local surrounding villages. The details are enclosed as an Annexure-4.</p>		<p>Date: 19/11/2024</p>
15	Corporate Environmental Responsibility	The company shall undertake eco-developmental measures including community welfare measures in the project for the overall improvement of the environment.

<p>PPs Submission: Complied Noted and agreed .</p>		<p>Date: 19/11/2024</p>
16	Human Health Environment	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.</p>
<p>PPs Submission: Complied A total recurring cost of Rs. 122.39 lakhs have been allocated for the April 2024 to September 2024 for the environmental protection measures, it includes ZLD operations, hazardous, non hazardous waste disposal, environment monitoring, tank cleaning etc. which are part of the implementation of the conditions stipulated by MoEF and CC as well as the State Government. We assure that the funds earmarked for environment management/pollution control measures will not be diverted for any other purpose.</p>		<p>Date: 19/11/2024</p>
17	Statutory compliance	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad /Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any were received while processing the proposals.</p>
<p>PPs Submission: Complied Noted and Agreed. We have not received any suggestions and representations while processing the proposals from concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local and the local NGO. Hence this clearance copy not given to them.</p>		<p>Date: 19/11/2024</p>
18	Statutory compliance	<p>The project proponent shall also submit six monthly reports on the status compliance of the stipulated Environment Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal Office of CPCB and SPCB. A copy of Environment Clearance and six monthly compliance status report shall be posted on the website of the company.</p>
<p>PPs Submission: Complied We are submitting the six monthly compliance reports regularly. The E-mail transmittals of the 12th six monthly compliance report submitted to the various regulatory agencies is enclosed as Annexure-12.</p>		<p>Date: 19/11/2024</p>
19	Statutory compliance	<p>The environmental statement for each financial year ending 31st March in Form – V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of environment clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.</p>
<p>PPs Submission: Complied The Environmental Statement i.e, Form-V is also being regularly submitted online to MPCB. The Form-V for the year 2023-2024 was submitted online to MPCB on 02/09/2024. The Form-V is enclosed as Annexure-9. Status of compliance of EC is already put on company website along with EC Letter and also sent to Regional Offices of MOEF and CC by email. The web link for the uploaded EC letter on the website is as under: Please provide web link: https://www.innovassynth.com/wp-content/uploads/2022/03/Environmental-Clearance-Certificate-23042018.pdf The web-link for the six-monthly compliance report on the website is as under:</p>		<p>Date: 19/11/2024</p>

Visit Remarks

Last Site Visit Report Date:

N/A

Additional Remarks:

Production details for April 2024 to September 2024 is enclosed as additional Annexure.

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.